









ENG25-NSN

inside outside

empty weight 18 lb

ENG35-NSN

inside outside

empty weight 23 lb

ENG45-NSN

inside outside empty weight 24.5 lb

ENG50-NSN

inside outside

empty weight 24 lb

ENG65-NSN

inside outside

empty weight 26 lb

ENG80-NSN

empty weight 33 lb

inside outside

ENG85-NSN

inside outside empty weight 36 lb

ENG123-NSN

inside outside

empty weight 42 lb

ENGEL. 5

NSN ENGEL COOLERS available in

HAZE GREY


WHITE

TAN

SEAFOAM

ARCTIC BLUE

COASTAL WHITE





ENGEL.

SAVE THE REEFS

Kenny Chesney's No Shoes Nation has partnered with ENGEL Coolers, the most trusted cooler on the water, to create No Shoes Reefs.

The goals of No Shoes Reefs are two-fold, to raise awareness and the much needed funding to protect precious coral reefs which are vital for aquatic ecosystems to thrive.

In 2017 No Shoes Reffs collaborated with the Andrew 'Red' Harris Foundation, an organization that builds artificial reefs off the coast of Jupiter.

We are currently selling limited edition t-shirts, hats and tumblers with a large portion of the proceeds going directly to the No Shoes Reefs conservation efforts.





ENGEL TUMBLER

Whether you're bringing a hot or cold drink along for the ride, the Engel Spill-Proof Lid will ensure you enjoy your drink, not wear it. The air-tight seal keeps your drinks in the cup when the boat bounces or the truck swerves.

Just like our award-winning coolers, we've thought of the details that matter.

PATENTED





single twist leaks & spills



ENGT30-P1WV



ENGT30-P1FS FIRESTORM



ENGT30-P1MP



ENGT30-P1P0 PINK OUT



ENGT30-P1SL SHORELINE







WAVE (30 oz)



FIRESTORM (30 oz)



MULTI-PURPOSE (30 oz)




PRYM1 PINK OUT (30 oz)



PRYM1 SHORELINE (30 oz)







10 ENGEL COOLERS available in

SEAFOAM

HAZE GREY

TAN

WHITE

ARCTIC BLUE

COASTAL WHITE

ENGEL HIGH-PREFORMANCE COOLERS

I-BEAM Lid Inserts™

Unique, durable I-Beam inserts allow for maximum weight-bearing strength and prevent lid warping

| COOLERS



Reinforced non-skid lid for greater traction, stability and strength whether standing or sitting. Also available: the Engel nonskid cooler pads — easy to apply, easy to clean



Unique freezer style airtight, food-grade silicone gasket keeps lid sealed

Anvil Hinge™

Integrated full-length, self-stopping rear hinge for maximum strength

Unity Latch System™

Recessed marine-grade, adjustable draw latches with stainless steel hardware

Cornerstone Feet™

Non-skid, non-marking feet keep cooler in place while keeping your deck clean





DuoLock Security Holes™

Dual padlock holes allow you to lock the cooler shut for bear resistance



Quadra-grip Tie-Down Points™

Fits webbing, turn buckle, and other traditional tiedown systems as well as standard crimped security cable to prevent theft



SingleForm HardShell™

Rugged roto-molded polyethylene shell. Easy-to-clean, stain resistant



Flick Drain Plug™

Unique recessed "one-twist" opening drain plug with lanyard hole

ENGEL COOLER SIZES

Whether you're traveling light with the Engel 25, or on the adventure of a lifetime with the Engel 320, there's a cooler to fit your every journey. With over 50 years of legendary cooler technology plus an incredible selection of accessories, Engel has thought of every angle.







ENG25

inside	outside	empty weight	quarts	ice capacity	max cans
L: 14.5"	L: 20.25"	18 lb	21.1	20 lbs	24
W: 9.25"	W: 14.25"				
H: 9.25"	H: 14"				

ENG25 available in

MAUTE	TAN	HAZE COEV	CCAFOAM	ABOTIO
WHITE	TAN	HAZE GREY	SEAFOAM	BLUE

ENG35

inside	outside	empty weight	quarts	ice capacity	max cans
L: 20"	L: 25.25"	23 lb	35	40 lbs	42
W: 10" 5	W:- 14.5"				
H: 10"	H: 15.25"				

ENG35 available in



ENG45 LOW PROFILE

inside	outside	empty weight	quarts	ice capacity	max cans
L: 21.5"	L: 28"	24.5 lb	47	53 lbs	64
W: 13.5"	W: 18.75"				
H: 9.5"	H: 14"				

ENG45 available in

	v		н	

ENG50

inside	outside	empty weight	quarts	ice capacity	max cans
L: 18"	L: 24"	24 lb	48	55 lbs	60
W: 13.25"	W: 17.5"				
H: 11.875"	H: 18.5"				

ENG45 available in



ENG123

inside	outside	empty weight	
L: 32"	L: 41.5"	42 lb	
W: 13.5"	W: 18.25"		
H: 13.375"	H: 18.25"		
quarts	ice canacity	max	

120 lbs 130

ENG123 available in



ENG165

inside	outside	empty weight
L: 40.625"	L: 48"	56 lb
W: 17:5"	W: 19.5"	
H: 13.625"	H: 22.75"	
quarts	ice capacity	max cans
167	205 lbs	264

ENG165 available in

WHITE



HIGH-PERFORMANCE COOLERS | SIZES & SPECS







ENG65

inside	outside	empty weight	quarts	ice capacity	max cans
L: 24"	L: 29.25"	26 lb	58	85 lbs	70
W: 12"	. W: 16.75"				
H: 12"	H: 16.75"				



ENG80

inside	outside	empty weight	quarts	ice capacity	max cans
L: 28.5"	L: 33.75"	33 lb	74	100 lbs	75
W: 11.5"	W: 16.375"				
H: 12.75"	H: 17.5"				

	-				
WHITE	TAN	HAZE GREY	SEAFOAM	ARCTIC	COASTAL
E				BLUE	WHITE

ENG85 LOW PROFILE

inside	outside	empty weight	quarts	ice capacity	max cans
L: 27"	L: 32.25"	36 lb	78	110 lbs	78
W: 13.5"	W: 18.5"				
H: 12"	H: 16.5"				

ENG85 available in

ENG240

inside	outside	empty weight
L: 45.75"	L: 51.5"	65 lb
W: 16.875"	W: 22"	
H: 17.25"	H: 21,5"	

quarts	ice capacity	max cans	
220	305 lbs	357	

ENG240 available in

ENG320

61.75" 89	lb
22 2 2 2 2 2	
21.875"	
22.875"	
	22.875" ma

317 456 lbs

ARCTIC BLUE

ENG320 available in



HIGH-PERFORMANCE COOLERS

SIZED FOR ADVENTURE

ENG25

ENG35

ENG45

ENG50

ENG65

ENG80

ENG85

ENG123

ENG165

ENG240

ENG320





ENGEL HIGH-PERFORMANCE COOLERS

A CLOSER LOOK





Unique, recessed, one twist opening drain plug with lanyard hole.



UNITY LATCH SYSTEM™

Recessed, marine-grade, adjustable draw latches with stainless steel backing plates & screws.



ARCTICVAULT GASKET™

Air-tight food-grade silicone gasket keeps lid closed more securely.



I-BEAM LID INSERTS™

Durable I-Beam inserts for maximum weight-bearing strength, prevents lid warping.



PITCHED COOLER FLOOR
Allows water to self-drain comple

Allows water to self-drain completely, without tipping the cooler to empty it.



CORNERSTONE FEET™

Non-skid, non-marking feet help keep your cooler in place and elevate the it off the deck for easier cleaning.

DUOLOCK SECURITY HOLES™

 $\label{eq:decomposition} \textbf{DuoLock Security provides dual padlock holes for locking your cooler shut and making it Bear Resistant.}$





HIGH-PERFORMANCE COOLERS | FEATURES





BUILT-IN DURABLE ROPE HANDLES

with ergonomic plastic hand grips for easy and convenient transporting.





QUADRA-GRIP TIE-DOWN POINTS™

Slots for crimped locking cables to better secure the cooler, providing multiple tie-down options.





for more support, stability and ease-of-carry.





IGBC CERTIFIED BEAR RESISTANT CONTAINER molded on rear outside of the cooler.





ANVIL HINGE™

Full length, integrated, self-stopping rear hinge for maximum strength.



INTEGRATED LID

Opening handle makes for easier, faster access. The depression built into the bottom half of the cooler allows you to conveniently open your lid.





While so many other coolers lack structural integrity, Engel's screws are attached to stainless steel inserts for superior durability and reinforcement.





OPEN BEER HERE

Engel latch keeper doubles as a bottle opener. Yes, we thought of everything!



ENGEL COOLER ACCESSORIES

ROD HOLDERS

Now you can safely

almost anywhere.

attached a rod holder



COOLER SEAT CUSHIONS

Made of white, marine grade vinyl with 2-inches of padding. Attaches to cooler lid using marine grade snaps - included. Available for ENG25 - ENG320



STAINLESS STEEL LATCH

Stainless steel replacement latch for -now you can choose between rubber or marine grade stainless steel.



NON-SKID COOLER PAD Available for ENG25, 35,50,65, 80, 123



COOLER TRAY AND CUTTING BOARDS

Can be used to organize food and drinks on top of lower layer of ice, Also use as stacking bait trays. Trays available in 2" and 4" deep for ENG35, 50, 65, 80. Cutting boards available for ENG35, 50, 65, 80.




DIVIDERS

Divider slots for optional plastic dividers — allows user to separate ice from other contents. The dividers can also be used as a convenient cutting board. Made of King StarBoard®. Smaller coolers with 2 latches take one divider. Larger coolers with 3 latches can take 2 dividers.



COOLER SLIDER

Cooler Slides for easier access under boat seats. Available for ENG35, ENG65, and ENG80.



HANGING WIRE BASKETS

ENGEL

For efficient storage, Engel's hanging wire baskets are a great addition to any fishing trip or outdoor adventure. Available for ENG25 through ENG240.



COOLER TIE-DOWN NYLON WEB STRAPS



FŘĚEZEŘ PAKS

This High Performance Pak is nontoxic, non-hazardous, and re-usable and outperforms standard gel packs. The Engel Cooler Pak makes for a great cooler companion to keep contents cold and dry. Works great in lunch boxes, beach coolers, soft sided coolers and cold shipping. It also works well to extend the life of traditional bagged ice. Enjoy your recreational sports without the mess of melted ice.

Upgrade to the Engel 20 Freezer Pak to keep your bait frozen on those long voyages or catch fresh for the trip home.



FREEZER PAK

available in medium (ENGFP7-2HP) and large (ENGFP7-5HP) paks

MEDIUM	LARGE	Temperature at which product phase changes		
length: 9.375"	length: 12.5"	20°F		
width: 7.125"	width: 8.375"			
height: 1.375"	height: 1.625"			

COOLER PAK

available in medium (ENGCP-2HP) and large (ENGCP-5HP) paks

MEDIUM	LARGE		Temperature at which product phase changes
length: 9.375"	length:	12.5"	32°F
width: 7.125"	width:	8.375"	
height: 1.375"	height:	1.625"	

These paks are safe, environmentally friendly and re-usable up to five years! Therefore, the Engel Cooler Pak's are a great alternative for gas emitting dry ice as our pack do not require special handling, training or costly haz-mat shipping fees.







UC13 COOLER/ DRY BOX

inside	outside		dry weight	quarts	ice capacity	max cans
length: 12"	length:	15"	3.5 lb	13	12 lbs	18
width: 7"	width:	10"				
height: 8.5"	height:	11"				


UC19 COOLER/ DRY BOX


inside	outside		dry weight	quarts	ice capacity	max cans
length: 13.5"	length:	16.6"	5.5 lb	19	25 lbs	32
width: 8"	width:	11"				
height: 10"	height:	13"				

UC30 COOLER/ DRY BOX

inside	outside		dry weight	quarts	ice capacity	max cans
length: 16.5"	length:	19.5"	7 lb	30	45 lbs	48
width: 9.5"	width:	12.5"				
height: 11.5"	height:	14.5"				








UC19-RH/UC30-RH

Cooler/Dry Box with Rod Holders available in 19 and 30qt sizes

UC19-RH/UC30-RH COOLER/DRY BOX WITH ROD HOLDERS available in






Will not allow stains or odors to penetrate

Watertight EVA foam gasket seal



Lightweight insulation holds cold in for 1-2 days



Draw-tight stainless steel latches







Engel won "BEST OF SHOW" AT ICAST 2014 for their Cooler/Dry Box with Rod Holders






Fishermen in need of live bait, your solution has arrived! The new Engel Insulated Live Bait Cooler with or without rod holders, keeps bait fresh, energetic and cool with our advanced 2x2 water oxygenation air pump — and it's so portable, you can take it anywhere! Our Live Bait Cooler has all the high-quality insulation, rugged durability and secure seal protection you've come to expect from Engel Cooler/Dry Boxes — with the added ability to circulate and aerate the water inside so that bait remains fresh and alive no matter what the temperature is outside.

LIVE BAIT COOLER

ENGEL LIVE BAIT COOLER available in WHITE, 13, 19 and 30 quart sizes





BAIT NET

Pull net feature makes fetching your bait and changing water a breeze... and it's designed to withstand wear and corrosion.



2 SPEED AIR PUMP

The 2-speed Engel 2X2 Air Pump runs strong on two (2) D-Cell batteries (not included) or 12V DC adapter. Run on high speed when your cooler is full of bait. Switch the pump down to low speed and conserve battery power later in the day. Plug into your car or boat's cigarette lighter using the handy 12V adapter to run the pump overnight and keep bait fresh for extended periods.



NEW 110 V AC ADAPTER

Use optional adapter to plug your live bait cooler into a wall socket to keep it running, and your bait alive, overnight.



3 WAYS TO CARRY









Strap









The ENGEL HD-30 soft-sided cooler is entirely welded, while comparable bags are sewn. By welding all seams, warm air is kept out, with no water leaks. The HD-30 boasts an outer should composed of durable 840 denier, which provide maximum strength and abrasion resistance. The front and back side are laminated with a Thermal Plastic Urethane (TPU) film, adding another layer of strength and puncture resistance.







Patent Pending Vacuum
Valve Technology removes the unwanted air
from around the insulation



Waterproof Zipper

ENGTPU-BLUE





WHAT'S INSIDE?

Main large compartment with patented antimicrobial protection.

Second smaller compartment for dry goods storage or for holding your Engel Cooler Pak (see page 19).

Both compartments enclosed in high performance, closed cell insulation with radiant barrier for the best performance in sunlight.




Quick grab handle



4 'D' Rings for easy tie-down



Large carry handles



ENGEL

Water resistant compartment zippers



Vented, load-bearing padded shoulder straps

Non-skid foot pads



ENGEL BACKPACK COOLERS

Our Backpack Coolers are available in the hottest new Camo pattern, Prym1, designed by wildlife artist Stacie Walker, or Seafoam, perfect for ocean or beach.

EASY ACCESS WITH ROOM TO SPARE

With a whopping 23 qt capacity, there's plenty of room in the Engel Backpack Cooler for drinks and a hearty picnic lunch — with capacity to add a couple of Cooler Paks. (Engel Cooler Paks will keep the contents in the main section cold without the mess of ice. (See page 19)

The top opening features a heavy-duty 2-way water-resistant zipper that pulls open for full access to the main inner compartment. Next

to the main opening, there is a zippered side pocket, an ideal place to put an extra Engel Cooler Pak or two.

POCKETS. HANDLES AND STRAPS

The flat bottom of the cooler bag is fitted with four non-skid feet to keep it from sliding around on deck. There are mesh side pockets for items that don't require cooling, a large zippered front pocket, and an outer pocket for last minute items. Sturdy tote handles slide onto your shoulder or you can carry the Engel Backpack Cooler by hand. Plus, there are padded, breathable shoulder straps that make it easy to carry it as a backpack.

ENGEL BACKPACK COOLERS

ENGEL

ENGEL

ENGEL

ENGEL

ENGCB2-PIPO
PRYM1 PINKOUT

ENGCB2-PIMP

PRYM1 SHORELINE

PRYM1 SHORELINE

PRYM1 MULTI-PURPOSE

ENGEL FRIDGE/ FREEZERS

With over 50 years of proven reliability, Engel portable fridge/freezers have been keeping the cold in season after season. We started off a wave of innovation with these units and they just keep getting better thanks to our commitment to the latest advancements in cooling technology.

ADJUSTABLE TO MEET YOUR NEEDS


Whether you're looking to keep ice cream frozen or keep your latest catch refrigerated, Engel fridge/freezers offer full adjustability. Just crank up the dial and you're in control of whatever amount of refrigeration you need.

THE SMART FRIDGE/FREEZER

Most Engel fridge/freezers automatically switch back and forth between AC and DC power (will always prioritize to draw from AC when available) — a big plus for sailors and boaters wanting to move from battery power to shore power. It's handy too, for travelers using on-the-road battery, who also want to plug their Engel in when they get back home.

EFFICIENT FROM THE START

Unlike traditional compressor motors, Engel's swing motor doesn't demand a huge power draw at start-up. This keeps your battery power lasting longer — and that means more hours of reliable cold retention.





PORTABLE TOP LOADING FRONT LOADING





DRAWER







PORTABLE TOP LOADING FRIDGE/FREEZERS | SPECS









MT17F-U1

12V/24V DC 110V/120V AC Fridge/Freezer

				power source		
	Shows Variable fro 0.6 - 2.8 Amps				8	
dimer	nsions	externa	l dimen	sions	net weight	
W 8"	H 10"	L 21.2"	W 12"	H 14.2"	37 lbs	
	0. dimer		dimensions externa	0.6 - 2.8 Amps 110 dimensions external dimen	0.6 - 2.8 Amps 110V/120V AC dimensions external dimensions	

MT27F-U1

12V/24V DC 110V/120V AC Fridge/Freezer

volume		power consumption			power source		
22 Quar		Variable fro 0.6 - 2.8 An			1/24V DC 1V/120V AC	С	
internal dimensions			externa	l dimen	net weight		
L 11.5"	W 8	" H 13.5"	L 21.2"	W 12"	H 18.2"	37.5 lbs	
Dimensi	ions e	xclude hand	fles (1.5"	each)			

MT35F-U1

12V/24V DC 110V/120V AC Fridge/Freezer

volume	power cons	umption	power source		
34 Quart	Variable from 0.7 - 2.5 Amp		12V/24V DC 110V/120V AC		
internal d	imensions	external	dimensions	net weight	
L 15.4" W	10.8" H 12.4"	L 25.5" W	/14.3" H 16"	46.3 lbs	
Dimension	s exclude handl	es (1.5" ead	th)		

MT45F-U1

12/24V DC 110V/120V AC Fridge/Freezer

volume	volume power consumption		power source		
3 Quart Variable from 0.7 - 2.5 Amp					
internal dimensions		external	dimensions	net weight	
L 15.4" W	10.8" H 16.4"	L 25.5" W	/ 14.3" H 20"	52.9 lbs	
	s exclude handl			02.7 (03	



MT60F-U1

12V/24V DC 110V/120V AC Fridge/Freezer

Variable from 0.7 - 3.6 Amps		12V/24V DC 110V/120V AC		
4.9" H 12.4"	L 31.1" W	19.3" H 17.4"	68.3 lbs	
	0.7 - 3.6 Amp ensions 4.9" H 12.4"	0.7 - 3.6 Amps ensions external of	0.7 - 3.6 Amps 110V/120V AC tensions external dimensions 4.9" H 12.4" L 31.1" W 19.3" H 17.4"	



MT60F-U1-C

12V/24V DC 110V/120V AC Fridge/Freezer

	volume	power	consump	tion	power s	ource
FRIDGE FREEZER	34 Quart 26.5 Quart	Variable from 0.7 - 3.6 Amps		12V/24V DC 110V/120V AC		
internal di	mensions		exter	nal dim	ensions	net weight
FRIDGE L	15.3" W 9.8"	H 12.4"	L 31.1"	W 19.3	'H 17.4"	75 lbs
FREEZER L	13.5 W 7.8	H12.4				



MT80F-U1-S

12V/24V DC 110V/120V AC Fridge/Freezer

volume	Variable from 0.7 - 3.6 Amps		12V/24V DC 110V/120V AC		
84 Quart					
internal dimensions		external	dimensions	net weight	
L 20.1" W	14.9" H 16.7"	L 31.1" W	/ 19.3" H 21.7"	86 lbs	
Dimension	s exclude handle	es (1.5" eac	ch)		

FRONT AND TOP LOADING FRIDGE/FREEZERS | SPECS



SB47F-MK

SR48F-U1

volume	power consumption Variable from 0.7-2.7 Amps		power source 12V/24V DC ONLY		
42 Quart					
cutout dimensions		external dim	external dimensions		
L 15.12" D 17.67" H 20.39"		L 16.5" W 20" H 21"		40lbs	
volume	power consumption		power source		
42 Quart	Variable from 0.7-2.7 Amps		12V/24V	/ DC 110V/120V AC	
cutout dimensions		external dimensions		net weight	
L 15 100 D 15 (50 U 00 000		LAZET MINOT MAIT		40 EU .	



SB70F DC ONLY

volume	power consumption		power source		
60 Quart	Variable from	iable from 0.7-2.7 Amps		DC ONLY	
cutout dimensions		external dimensions		net weight	
L 18.27" D	20.63" H 20.43"	L 20" D 23"	H 21"	44.3lbs	
volume	power consu	ower consumption		ource	
60 Quart	Variable from 0.7-2.7 Amps		12V/24V	DC 110V/120V AC	

external dimensions net weight

cutout dimensions

L 18.27" D 20.63" H 20.43" L 20" W 23" H 21"

SR70F-U1

L 15.12" D 17.67" H 20.39" L 16.5" W 20" H 21" 40.5lbs


SB300 12/24V DC 110V/120V AC DRAWER FRIDGE power consumption rated input voltage 31 Quart Variable from 1.5-2.7 Amps external dimensions net weight cans L 22.12" W 17.323"H 9.85" 42lbs



ENGEL'S WORLD FAMOUS SAWAFUJI SWING MOTOR

Owners of traditional fridge/ freezers are all too aware of how ordinary compressors draw massive amounts of power from their batteries, but with over 50 years of expertise, Engel fridge/ freezers are anything but ordinary.

At the core of every new Engel fridge/freezer is the F-Series Engel Swing Motor Compressor. This innovative model of efficiency gives you the refrigeration you need without draining your batteries of all their power. In fact, the F-Series Swing Motor is 40% more efficient than traditional compressors, drawing just a fraction of an amp once they're in use!



So how do we do it? With just one moving part and electro-magnetic piston action, the F-Series Engel Swing Motor uses minimal power at start-up. The piston moves a fraction of an inch and gradually gains speed — delivering efficiency at its best. Compare this to the enormous start-up power draw of a traditional compressor and you'll never want to go back to the old ways ever again.

But the innovations don't stop there. The Engel Swing motor is spring-mounted in a steel cocoon. It's vibration-resistant, maintenance-free, and capable of unaffected operation at inclines of up to 30-degrees. And because every Engel fridge/freezer is designed with airtight seals and thermally efficient insulation, the cold generated by the compressor is never wasted.

When it comes to reliable refrigeration, Engel's thought through every angle.



MR040F-U1

12V/24V DC 110V/120V AC Fridge/Freezer

volume	power cons	umption	power sourc	e
40 Quart	Variable from 0.7 - 2.5 Am		12V/24V DC 110V/120V A	c
internal d	imensions	externa	al dimensions	net weigh
L 14.5" W	10.5" H 14.4"	L 25"	W 15.5" H 18.5"	48 lbs

EXTERNAL DIMENSIONS EXCLUDE HANDLES, 2.5" EACH



MD-14F

12/24V DC (optional AC convertor available)

volume	power cons	umption	powers	source
15 Quart	Variable fro	m 0.9 - 2.8 Amps	12V/24V DC	
internal dimensions		external dimens	nal dimensions net w	
L 15.75"V	V 7.5"H 8.5"	L 17.5" W 11.3"	H 15.8"	26 lbs

ALL DIMENSIONS EXCLUDE HANDLES



Lockable Lid with Optional Padlock



This model is designed to operate in ambient temperatures between 14°F to 120°F.

Low Amp Draws (even at start-up) Power Consumption: Variable to 2.8 Amps

COOLING I.V. SALINE **SOLUTIONS FOR** THERAPEUTIC HYPOTHERMIC INDUCTION Holds 6 I.V. Solution Bags (1 liter) and a

Small Medication Bag



PORTABLE TOP-LOADING FRIDGE FREEZERS

For first-responders, keeping their cool can be a matter of life or death, and that's why they rely on Engel.

The Engel MHD13F-DM is designed to meet the needs of the EMS market for the transport of temperature-sensitive medications or having cold saline solution available for induced hypothermia.

MHD13F-DM

12/24V DC (optional AC convertor available)

volume	power cons	umption	power source	
14 Quart	Variable to 2	2.8 Amps	12V/24V DC	1000
internal d	imensions	external	dimensions	net weight
L 15.75" \	N 7.5" H 8.5"	L 17.4" V	/ 11.2" H 14.6"	26 lbs

strap (for included)





Digitally Controlled Constant Temperature. Bright Red LED **Temperature Display**





FRIDGE/FREEZER ACCESSORIES

Transit bags not only protect your Engel Fridge/Freezer with a layer of insulation, they also offer a heavy-duty foil layer on the inner side that reflects direct sunlight and long wave radiation. High quality gray canvas outer layer comes with an accessory pocket and vents. The bag covers the entire unit and is easy to open - simply unzip the bag on top. The bags work with the corresponding Transit Slide Locks. Breathing holes are built in to the compressor to prevent overheating. Durable outer protective canvas. Insulating and shock absorbing inner layer adds to the insulating factor of your Engel freezer. Highly reflective inner foil layer, designed to reflect the long wave heat of the sun, increases the overall performance of your Engel freezer — especially if exposed to any direct sunlight. Quality zipper allows normal access to your freezer. Plastic mesh in the right places allows your freezer to vent itself and operate normally.

EMS FRIDGE SLIDE MD-14F

The Engel Custom Fridge/ Freezer Slide for MD14F/ MHD13F-DM is made for EMS model coolers, as it is uniquely designed to allow small coolers to fit in the ALS cabinet of rescue vehicles.

Ultimately, if you need to place one of Engel's small refrigerators in a tight space without much height, this wonderful slide will allow you to do so. The slide will help pull out the fridge to a near 100% extension to clear the lid, allowing EMS workers to have easy access to the cooler's contents.



DC POWER CORD PLUG

The Engel DC Power Cord Plug is a replacement for the DC cord in between cord and plug, supplied with all top-opening Engel fridge/freezers up to 43 Quarts. Length: 9 feet. Includes an Engel Thermal fuse (10 Amps).



TRANSIT SLIDE LOCK PLATE

To obviate the need for a ratchet strap, Engel has created the Transit Slide Lock. The Slide Lock bolts to the vehicle's floor and the Engel clips securely to the Slide Lock, eliminating the need for a separate ratchet strap. Only compatible with the MD-14F and MHD13F-DM models



DC HARDWIRE POWER CORD

The Engel DC Cord - Hardwire is a replacement part that can be used on any other Engel fridge/freezer model for more permanent hook-up to your DC system. Length: 9 feet. Comes standard on Engel MT60F-U1, MT60F-U1-C and MT80F-U1.

AC ADAPTER

Your Engel fridge/freezer can become more versatile with the purchase of this AC Adapter for DC fridge/ freezers. Thanks to this adapter, owners can plug their small DC model fridge/freezers anywhere they go, be it at their home, hotel room, camper or vehicle. One end of the adapter cord can be plugged into house socket, while the other end can be plugged into a female lighter or accessory socket in your car. Regardless of where you go, you will not have to worry about the items in your freezer thawing out and spoiling! Please keep in mind that this adapter is specially designed for Engel models MD14F and MHD13F-DM, as our larger models already have a built in feature that accomplishes the same function.



TRANSIT BAGS ARE AVAILABLE TO FIT THE FOLLOWING MODELS: MT17, MT27, MT35, MR040, MT45, MT60, MT60 COMBI, AND MT80.



TRANSIT SLIDE LOCKS TSL17

These are highly recommended for safety, help prevent your Engel fridge/freezer from shifting about in a vehicle or boat. Simply slide your Engel into position and it locks down automatically. To remove just push the clip to release. It's that easy! Compatible with the MTJTF-UI and the MD-14F and MBUI3F-OM with TSLPI4EH, TSLE? (Compatible with the MT2F-UI), and TSL530/540 (Compatible with the MT3F-UI) and MT4SF-UI, will work with the MR040F-UI if the Cushion Feet are purchased).



AC POWER CORD

The Engel AC Cord is a replacement for the AC cord supplied with all top-opening Engel fridge/freezers. Length: 6 feet. Compatible with all "MT-Series" Fridge/Freezers.

DC REPLACEMENT PLUG

Fits the Engel DC Cord - as a replacement. Includes Engel Thermal Fuse.



POSIFIT

Posifit - Is a locking mechanism to lock your Engel's DC power cord into the electrical source.



WIRELESS DIGITAL THERMOMETER

Stop guessing the temperature of your Engel fridge/ freezer – Engel's Wireless Digital Thermometer has the precise answer for you! As a tool used to monitor ice temperature, this thermometer reads temperatures in both Fahrenheit and Celsius. It also provides owners with records of minimum and maximum temps, for baseline determination.



HASP 1 FOR MD14F AND MHD13F-DM

A stainless steel locking hasp is designed to safeguard the items inside your freezer. You can rest assured knowing your fridge-freezer is closed tight. Secure it even further with a padlock (not included).


NOTE: We do not recommend that customers install the hasp without proper training. If you attempt it yourself you run the risk of puncturing a gas line - which will critically damage your unit and void your factory warranty.



HASP 2 FOR MT SERIES FRIDGE-FREEZERS







ENGEL VISOR

Back by popular demand. This Visor from Engel with hook and loop with an adjustable headband will block the sun from your eyes. One size fits all. ENGVISOR-N



ENGEL PEAK CAPS

One size fits all. With hook and loop adjustment





ENGEL SUN SHIRTS BY NATIVE OUTFITTERS

Revolutionary Smart Performance Fabrics Featuring:

Exclusive Anti-Snag Knitting Technology

Extreme UV Sun Protection

Moisture Transport

Anti-Microbial

Low Shrinkage

Odorless

SIZES XS - 3XL





ENGEL PERFORMANCE SHIRT-BLUE MARLIN


ENGEL PERFORMANCE SHIRT -YELLOW 'THE ORIGINAL'

ENGEL PERFORMANCE SHIRT GREEN 'THE ORIGINAL'

ENGEL PERFORMANCE SHIRT-WHITE FLAG

ENGEL WOMENS PERFORMANCE SHIRT PINK TURTLE

ENGEL WOMENS' PERFORMANCE SHIRT -PINK TURTLE



The Engel Super Koozies are extremely durable, washable and shiny, offering excellent insulation properties. When keeping your drinks cold is just as high a priority as keeping your ice from melting, Engel offers the new Super Koozie to our line of Adventure Gear. With 3/8" foam thickness, the only thing sweating on a summer day will be you!



ENGEL ADVENTURE GEAR



CV

39





